

#IPNAJC Transcript

Healthcare social media transcript of the [#IPNAJC](#) hashtag.

Wed, July 20th 2022, 8:00PM – Wed, July 20th 2022, 10:00PM

(America/New_York).

See [#IPNAJC Influencers/Analytics](#).



IPNA Journal Club  [@ipnajt](#)

2 hours ago

Hello [#NephTwitter](#) [#PedNeph](#), 1 hr to go until tonight's discussion on the latest 2022 updates by [@AHA](#) on Ambulatory BP Monitoring (ABPM) in Children and Adolescents [#IPNAJC](#) Here is the link to tonight's article <https://t.co/d8QILZQnIO>



Sudha Mannemuddhu MD [@drM_sudha](#)

2 hours ago

RT [@ipnajt](#): Hello [#NephTwitter](#) [#PedNeph](#), 1 hr to go until tonight's discussion on the latest 2022 updates by [@AHA](#) on Ambulatory BP Monitoring (ABPM) in Children and Adolescents [#IPNAJC](#) Here is the link to tonight's article <https://t.co/d8QILZQnIO>



IPNA Journal Club  [@ipnajt](#)

2 hours ago

Want the updates in a nutshell? Check out this wonderful summary by [@suprita86087893](#) <https://t.co/yEGtLvpMsY> [#IPNAJC](#)



Sudha Mannemuddhu MD [@drM_sudha](#)

2 hours ago

RT [@ipnajt](#): Want the updates in a nutshell? Check out this wonderful summary by [@suprita86087893](#) <https://t.co/yEGtLvpMsY> [#IPNAJC](#)



Franklin Loachamin [@FranLoachamin](#)

2 hours ago

Hola [#NephTwitter](#) [#PedNeph](#), falta 1 hora para el debate de esta noche sobre las últimas actualizaciones de 2022 de [@AHA](#) sobre el control ambulatorio de la PA (MAPA) en niños y adolescentes [#IPNAJC](#) Aquí está el enlace al artículo de esta noche. <https://t.co/eUlr6EEQgm>



Franklin Loachamin [@FranLoachamin](#)

2 hours ago

¿Quieres las actualizaciones en pocas palabras? Mira este maravilloso resumen de [@suprita86087893](#) <https://t.co/HVUQju2u53> [#IPNAJC](#) <https://t.co/TRrtqt5raA>





renal Club @ipnajt

2 hours ago

wait, check out this excellent visual abstract by [#IPNAJC](#) [@MdhAz09](#) and [@ArchanaVajjala](#) <https://t.co/PPBA1MjSb>



Franklin Loachamin [@FranLoachamin](#)

2 hours ago

Mientras espera, vea este excelente resumen visual de [@MdhAz09](#) y [@ArchanaVajjala](#) [#IPNAJC](#) <https://t.co/Nq9buOfTF>



Franklin Loachamin [@FranLoachamin](#)

2 hours ago

RT [@ipnajt](#): While you wait, check out this excellent visual abstract by [#IPNAJC](#) [@MdhAz09](#) and [@ArchanaVajjala](#) <https://t.co/PPBA1MjSb>



NefroClass [@NefroClassMx](#)

2 hours ago

RT [@FranLoachamin](#): Mientras espera, vea este excelente resumen visual de [@MdhAz09](#) y [@ArchanaVajjala](#) [#IPNAJC](#) <https://t.co/Nq9buOfTF>



NefroClass [@NefroClassMx](#)

2 hours ago

RT [@FranLoachamin](#): ¿Quieres las actualizaciones en pocas palabras? Mira este maravilloso resumen de [@suprita86087893](#) <https://t.co/HVuOju2u53> [#IPNAJC](#) <https://t.co/TRrtqt5raA>



Sociedad Ecuatoriana De Nefrología SEN [@nefrologiaecu](#)

2 hours ago

RT [@FranLoachamin](#): Mientras espera, vea este excelente resumen visual de [@MdhAz09](#) y [@ArchanaVajjala](#) [#IPNAJC](#) <https://t.co/Nq9buOfTF>



Sociedad Ecuatoriana De Nefrología SEN [@nefrologiaecu](#)

2 hours ago

RT [@FranLoachamin](#): ¿Quieres las actualizaciones en pocas palabras? Mira este maravilloso resumen de [@suprita86087893](#) <https://t.co/HVuOju2u53> [#IPNAJC](#) <https://t.co/TRrtqt5raA>



Sociedad Ecuatoriana De Nefrología SEN [@nefrologiaecu](#)

2 hours ago

RT [@FranLoachamin](#): Hola [#NephTwitter](#) [#PedNeph](#), falta 1 hora para el debate de esta noche sobre las últimas actualizaciones de 2022 de [@AHA](#) sobre el control ambulatorio de la PA (MAPA) en niños y adolescentes [#IPNAJC](#) Aquí está el enlace al artículo de esta noche. <https://t.co/eUlr6EEQgm>



IPNA Journal Club @ipnajt

2 hours ago

Will authors join the [#IPNAJC](#) today? [@drjosflynn](#) [@TammyBradyMD](#) [@markmitsnefes](#) CC: [@Alanepe1](#) [@ASPNeph](#) [@ASianPNA](#) [@NephJC](#) [@EspnYpnn](#) [@BAPNnephrology](#) [@alportuk](#) [@CAPNeph](#) [@thePNRC](#) [@HyperAHA](#) <https://t.co/J28OyzBONi>






@FranLoachamin

2 hours ago

¿Se sumarán hoy los autores al #IPNAJC? @drjosflynn @TammyBradyMD @markmitsnefes @Alanepe1 @ASPNePh @ASianPNA @NephJC @EspnYpnn @BAPNnephrology @alportuk @CAPNePh @thePNRC @HyperAHA <https://t.co/5U53eu3yDZ>



American Society of Pediatric Nephrology @ASPNePh

2 hours ago


RT @ipnajt: Will authors join the #IPNAJC today? @drjosflynn @TammyBradyMD @markmitsnefes CC: @Alanepe1 @ASPNePh @ASianPNA @NephJC @EspnYpnn @BAPNnephrology @alportuk @CAPNePh @thePNRC @HyperAHA <https://t.co/J28OyzBONI>



Tunefrologopediatra @tunefrologoped

an hour ago


RT @FranLoachamin: Mientras espera, vea este excelente resumen visual de @MdhAz09 y @ArchanaVajjala #IPNAJC <https://t.co/Nq9buOfTFe>



Tunefrologopediatra @tunefrologoped

an hour ago

RT @ipnajt: Will authors join the #IPNAJC today? @drjosflynn @TammyBradyMD @markmitsnefes CC: @Alanepe1 @ASPNePh @ASianPNA @NephJC @EspnYpnn @BAPNnephrology @alportuk @CAPNePh @thePNRC @HyperAHA <https://t.co/J28OyzBONI>



Tunefrologopediatra @tunefrologoped

an hour ago


RT @FranLoachamin: ¿Quieres las actualizaciones en pocas palabras? Mira este maravilloso resumen de @suprita86087893 <https://t.co/HVuQju2u53> #IPNAJC <https://t.co/TRrtqt5raA>



Tunefrologopediatra @tunefrologoped

an hour ago


RT @FranLoachamin: ¿Se sumarán hoy los autores al #IPNAJC? @drjosflynn @TammyBradyMD @markmitsnefes @Alanepe1 @ASPNePh @ASianPNA @NephJC @EspnYpnn @BAPNnephrology @alportuk @CAPNePh @thePNRC @HyperAHA <https://t.co/5U53eu3yDZ>



Tunefrologopediatra @tunefrologoped

an hour ago

RT @FranLoachamin: Hola #NephTwitter #PedNeph , falta 1 hora para el debate de esta noche sobre las últimas actualizaciones de 2022 de @AHA sobre el control ambulatorio de la PA (MAPA) en niños y adolescentes #IPNAJC Aquí está el enlace al artículo de esta noche. <https://t.co/eUlr6EEQgm>



Tunefrologopediatra @tunefrologoped

an hour ago

RT @FranLoachamin: Amigos #nephtwitter #pedneph ¿Están listos para el próximo #IPNAJC el 20 y 21 de julio de 2022? Mira este maravilloso VA por @ArchanaVajjala y @FranLoachamin #ABPM en Niñez y Adolescencia: Actualización 2022 @American_Heart #HTN <https://t.co/PWD4rBZNq4> Nos vemos!!! <https://t.co/KdttxBh4FT>



SYM

gonpediatra @tunefrologoped

an hour ago

RT @83_kelimig: Es hoy.... @Alanepe1 @IPNA_PedNeph #ipnaje



Tunefrologopediatra @tunefrologoped

an hour ago

RT @83_kelimig: #ipnaje en nuestro idioma con @FranLoachamin @Alanepe1



Tunefrologopediatra @tunefrologoped

an hour ago

RT @83_kelimig: @ipnaje mañana nuevo #IPNAJC Presión Arterial Ambulatoria en niños y adolescentes @FranLoachamin @IPNA_PedNeph @rupeshrainamd @drjosflynn @Alanepe1 @LilianCVillalba @ArchanaVajjala <https://t.co/l6dDJc0Ckr>



Tunefrologopediatra @tunefrologoped

an hour ago

RT @FranLoachamin: Hola #IPNAJC Franklin Loachamín , Quito Ecuador 🇪🇨
<https://t.co/ihLxIncbXR>



IPNA Journal Club @ipnaje

an hour ago

Attending your first #IPNAJC? Here's a video tutorial to get yourself started
<https://t.co/95gy8gRxhq> #IPNAJC



Franklin Loachamin @FranLoachamin

an hour ago

¿Es tu primer #IPNAJC? Aquí hay un video tutorial para comenzar #IPNAJC
<https://t.co/uakhFAvGBH>



IPNA Journal Club @ipnaje

an hour ago

The 2022 updates by @HyperAHA on ABPM in children. Chat with us tonight to know what's new, what stayed and what was taken out! #IPNAJC #NephTwitter #PedNeph



Franklin Loachamin @FranLoachamin

an hour ago

Las actualizaciones de 2022 de @HyperAHA sobre MAPA en niños. Chatea con nosotros esta noche para saber qué hay de nuevo, qué se mantuvo y qué se eliminó! #IPNAJC #NephTwitter #PedNeph



Sudha Mannemuddhu MD @drM_sudha

an hour ago

RT @ipnaje: Attending your first #IPNAJC? Here's a video tutorial to get yourself started
<https://t.co/95gy8gRxhq> #IPNAJC




renal Club 🇮🇱 @ipnajs

an hour ago



לערב ערב לtonight's #IPNAJC where we will discuss the ABPM guidelines in children and adolescents with special emphasis on the new 2022 updates <https://t.co/d8QIM07YKo>
<https://t.co/g0GOUKbm6a>




IPNA Journal Club 🇮🇱 @ipnajs

an hour ago



Your host for tonight is Shweta Shah @nefron1310 I do not have any COI except I love the new updates! #IPNAJC <https://t.co/Z85duwfHPT>




Franklin Loachamin @FranLoachamin

an hour ago



Bienvenidos al #IPNAJC de esta noche donde hablaremos de las pautas de MAPA en niños y adolescentes con especial énfasis en las nuevas actualizaciones 2022 <https://t.co/eUlr6EEQgm>
<https://t.co/zfIGQFqh7>




IPNA Journal Club 🇮🇱 @ipnajs

an hour ago



How to participate in @IPNAJC 1. Log onto TweetDeck & search #IPNAJC 2. Please introduce yourself (even if you are lurking) 🙋 & declare any #COI 3. Tag all Tweets with #IPNAJC
<https://t.co/mSiMLfuzKV> are some rules to have fun & lively discussion <https://t.co/svxoMNYllc>



Franklin Loachamin @FranLoachamin

an hour ago



Su anfitrión en la versión en español para esta noche es @franloachamin No tengo ningún COI
#IPNAJC




Franklin Loachamin @FranLoachamin

an hour ago



Cómo participar en @IPNAJC 1. Inicie sesión en TweetDeck y busque #IPNAJC 2. Preséntate (incluso si estás solo viendo) 🙋 y declara cualquier #COI 3. Etiqueta todos los Tweets con #IPNAJC 4. Aquí hay algunas reglas para divertirse y tener una discusión animada. @NephJC
<https://t.co/4Y73CTFTC9>



Joseph Flynn, MD @drjosflynn

an hour ago



Joseph Flynn here, chair of the @AHAScience pediatric ABPM writing group and BP guideline guru. No other COI. #IPNAJC




IPNA Journal Club 🇮🇱 @ipnajs

an hour ago



While people introduce themselves, here's a fantastic summary by @suprita86087893
<https://t.co/yEGtLv8bBq> Amazing visual abstract by @MdhAz09 and @ArchanaVajjala #IPNAJC
<https://t.co/WwRatxA8PI>





renal Club  @ipnajt

an hour ago

Here are some abbreviations we will use throughout the chat [#IPNAJC](#) <https://t.co/5J58pezB72>



Shweta Shah @nefron1310

an hour ago

@ipnajt check out the poll results thus far and click away if you haven't voted yet! [#IPNAJC](#)



IPNA Journal Club  @ipnajt

an hour ago

RT @nefron1310: @ipnajt check out the poll results thus far and click away if you haven't voted yet! [#IPNAJC](#)



IPNA Journal Club  @ipnajt

an hour ago

Lets get started! •Hypertension in the youth can affect adult HTN and also lead to TOD
•Particularly, there is evidence to support ABP levels are linked with TOD •ABP is a better therapeutic target in high risk pediatric population [#IPNAJC](#)



Franklin Loachamin @FranLoachamin

an hour ago

Mientras la gente se presenta, aquí hay un fantástico resumen de @suprita86087893 (Insertar enlace de resumen aquí) Increíble resumen visual de @MdAz09 y @ArchanaVajjala (Inserte VA aquí) [#IPNAJC](#) <https://t.co/Ho6wHnbnUr>



Priya John  @drpriyajohn

an hour ago

@ipnajt Hello everyone, this is Dr Priya, Nephrologist from India. Eager to learn about ABPM in children. No COI. [#IPNAJC](#)



Franklin Loachamin @FranLoachamin

an hour ago

- La hipertensión en los jóvenes puede afectar la HTA de los adultos y también conducir a TOD
- En particular, hay evidencia que respalda que los niveles de ABP están relacionados con TOD
- El PAA es un mejor blanco terapéutico en población pediátrica de alto riesgo [#IPNAJC](#)



IPNA Journal Club  @ipnajt

an hour ago

T0A •Pediatric BP norms are based on age,sex,ht and are derived from population data •The BP cut-off in older adolescents often exceeded the normal adult threshold •In 2017, the AAP CPG applied adult BP norms to define office HTN in pts ≥ 13 yr [#IPNAJC](#)



Ei Khin @ekhin_6

an hour ago

I am Ei Khin, I do not have any COI.





IPNA Journal Club @ipnajt

an hour ago

• In 2014, the 2014 pediatric ABPM guideline recommended age, sex, ht based threshold in all children <18yr <https://t.co/gfBzKNzsXW> <https://t.co/Sl8SdwPdG> #IPNAJC



Sudha Mannemuddhu MD @drM_sudha

an hour ago

Hello from Knoxville. No COI #ipnajt



Elisabeth Cole, MD, MS @bisnotbiz

an hour ago

Attending my first twitter journal club from St. Louis! Looking forward to learning more! #IPNAJC



Lilian Villalba @LilianCVillalba

an hour ago

Hola Hola! Soy Lilian desde Rosario- Argentina. Residente de Nefropediatría. No COI. #IPNAJC
Este es el Monumento a la Bandera. <https://t.co/oWdlpaWBPU>



Joseph Flynn, MD @drjosflynn

an hour ago

RT @ipnajt: Lets get started! •Hypertension in the youth can affect adult HTN and also lead to TOD •Particularly, there is evidence to support ABP levels are linked with TOD •ABP is a better therapeutic target in high risk pediatric population #IPNAJC



Shweta Shah @nefron1310

an hour ago

The BP load was difficult to explain to parents, so glad for the simplification #IPNAJC



IPNA Journal Club @ipnajt

an hour ago

-Using the new 2017 CPG cut-off ≥ 13 yr in the NHANES data set, 5.8% youth were reclassified to higher BP stage <https://t.co/Phi9hxXlfl> -Increase sensitivity in diagnosing youth at high risk for CVD So what about the ABPM thresholds then? There comes the 2022 update #IPNAJC
<https://t.co/Y953WKa4D1>



Franklin Loachamin @FranLoachamin

an hour ago

•Sin embargo, la guía MAPA pediátrica de 2014 recomendó un umbral basado en la edad, el sexo y la altura en todos los niños menores de 18 años. <https://t.co/4tOlVvkydm> <https://t.co/NujAkiT7Wv> #IPNAJC



Joseph Flynn, MD @drjosflynn

an hour ago

@ipnajt Yes ABP better in children w/ obesity, CKD, coarctation, diabetes and other high-risk conditions. #IPNAJC



Joseph Flynn, MD @drjosflynn

an hour ago



RT @ipnajt: -Using the new 2017 CPG cut-off ≥ 13 yr in the NHANES data set, 5.8% youth were reclassified to higher BP stage <https://t.co/Phi9hxXlfl> -Increase sensitivity in diagnosing youth at high risk for CVD So what about the ABPM thresholds then? There comes the 2022 update #IPNAJC <https://t.co/Y953Wka4D1>

💬 ↺ ❤

IPNA Journal Club @ipnajt

an hour ago



-2014 ABPM staging classified ABP into 6 categories based on SBP/DBP mean /load and office BP -Differentiates HTN from WCH or masked HTN, but leads to "unclassified" gray zone where mean BP was normal but load $>25\%$, if office BP ≤ 90 th or ≥ 95 th ile #IPNAJC <https://t.co/msBDIdQZOr>

💬 ↺ ❤



Gustavo Guevara Nolivos. @gpguevara_nefro
@FranLoachamin Saludos desde #Quito #IPNAJC

an hour ago

💬 ↺ ❤

IPNA Journal Club @ipnajt

an hour ago



-Utility of BP load and preHTN category to predict LVH and TOD has been questioned in recent studies #IPNAJC

💬 ↺ ❤



Joseph Flynn, MD @drjosflynn
Aarrgh - the dreaded 'unclassified' patients according to the 2014 statement...#IPNAJC

an hour ago

💬 ↺ ❤



Bob Woroniecki @BobWoroniecki
Hello to all from Eastern Long Island, Bob Woroniecki no COI for BPs/nephrology #IPNAJC

an hour ago

💬 ↺ ❤

IPNA Journal Club @ipnajt

an hour ago



To address the above two issues, the 2022 ABPM update simplified the classification -by taking away the load -using adult single-point cut off in ≥ 13 yr #IPNAJC <https://t.co/HWqoLp9aQn>

💬 ↺ ❤



Franklin Loachamin @FranLoachamin
Para abordar los dos problemas anteriores, la actualización ABPM 2022 simplificó la clasificación - quitando la carga -utilizando punto de corte de un solo adulto en ≥ 13 años #IPNAJC <https://t.co/t7FhkOU2QC>

an hour ago

💬 ↺ ❤

Joseph Flynn, MD @drjosflynn

an hour ago



RT @ipnajt: To address the above two issues, the 2022 ABPM update simplified the classification -by taking away the load -using adult single-point cut off in ≥ 13 yr #IPNAJC <https://t.co/HWqoLp9aQn>


💬 ↺ ❤

IPNA Journal Club  [@ipnajc](#)

an hour ago




How do you like this new classification system? Isn't this so easy to use!! Any advantages of the older system that we lost here? [#IPNAJC](#) [@NASA](#) [#JamesWebb](#) images
<https://t.co/EGpYOazWS3>



Franklin Loachamin [@FranLoachamin](#)

an hour ago

¿Qué te parece este nuevo sistema de clasificación? ¡¡No es esto tan fácil de usar!! ¿Alguna ventaja del sistema anterior que perdimos aquí? [#IPNAJC](#)



Joseph Flynn, MD [@drjosflynn](#)

an hour ago


[@ipnajc](#) And this made it similar to the classification of ABPM in adults recommended in the AHA-ACC guideline [#IPNAJC](#)



suprita [@suprita86087893](#)

an hour ago


[@ipnajc](#) [#IPNAJC](#) simplified ABPM guidelines and thresholds definitely required



IPNA Journal Club  [@ipnajc](#)

an hour ago


RT [@drjosflynn](#): [@ipnajc](#) And this made it similar to the classification of ABPM in adults recommended in the AHA-ACC guideline [#IPNAJC](#)



Joseph Flynn, MD [@drjosflynn](#)

an hour ago


[@ipnajc](#) [@NASA](#) Well I like the new system! [#IPNAJC](#)



Missy Hanna, MD, MS [@dr_missyhanna](#)

an hour ago


Missy Hanna from [@CUPedsNeph](#)- just got home so a bit late to the party. No COI. [#IPNAJC](#)



Joseph Flynn, MD [@drjosflynn](#)

an hour ago

RT [@ipnajc](#): How do you like this new classification system? Isn't this so easy to use!! Any advantages of the older system that we lost here? [#IPNAJC](#) [@NASA](#) [#JamesWebb](#) images
<https://t.co/EGpYOazWS3>



Andrew Michael South, MD, MS [@asouth_neph](#)

an hour ago


Join us! [@ipnajc](#)



Joseph Flynn, MD [@drjosflynn](#)

an hour ago

RT [@ipnajc](#): -Utility of BP load and preHTN category to predict LVH and TOD has been questioned in recent studies [#IPNAJC](#)





IPNA Journal Club @ipnaja

an hour ago

https://t.co/7w7S31qDAf #IPNAJC



Andrew Michael South, MD, MS @asouth_neph

an hour ago

@ipnaja Hi all #IPNAJC Andrew South @asouth_neph Pediatric nephrologist @WakePeds No COI



Ei Khin @ekhin_6

an hour ago

In my ABPM report, didn't mention what 95% BP. So I have to recheck 2017 BP chart. #IPNAJC



Joseph Flynn, MD @drjosflynn

an hour ago

@nefron1310 @ipnaja @drM_sudha @asouth_neph @suprita86087893 @md_abdulqader83 @MdhAz09 @FranLoachamin @SwastiThinks @DrMalinaM Two major uses: -rule out white coat HTN -assess for masked HTN #IPNAJC



IPNA Journal Club @ipnaja

an hour ago

Let's look at the major indications for using ABPM as recommended by the 2022 update Check out this succinct VA by @ArchanaVajjala on indications and new classification #IPNAJC <https://t.co/7w7S31qDAf>



IPNA Journal Club @ipnaja

an hour ago

RT @drjosflynn: @nefron1310 @ipnaja @drM_sudha @asouth_neph @suprita86087893 @md_abdulqader83 @MdhAz09 @FranLoachamin @SwastiThinks @DrMalinaM Two major uses: -rule out white coat HTN -assess for masked HTN #IPNAJC



Andrew Michael South, MD, MS @asouth_neph

an hour ago

RT @ipnaja: Will authors join the #IPNAJC today? @drjosflynn @TammyBradyMD @markmitsnefes CC: @Alanepe1 @ASPNePh @ASianPNA @NephJC @EspinYpnn @BAPNephrology @alportuk @CAPNePh @thePNRC @HyperAHA <https://t.co/J28OyzBONI>



IPNA Journal Club @ipnaja

an hour ago

Who are the high risk patients? #IPNAJC



Andrew Michael South, MD, MS @asouth_neph

an hour ago

RT @ipnaja: Welcome to tonight's #IPNAJC where we will discuss the ABPM guidelines in children and adolescents with special emphasis on the new 2022 updates <https://t.co/d8QIM07YKo> <https://t.co/g0GOUKbm6a>



Franklin Loachamin @FranLoachamin

an hour ago

#IPNAJC franklin loachamin , no coi , Ecuador !!!





.oachamin @FranLoachamin

an hour ago

#IPNAJC Veamos las principales indicaciones para usar ABPM según lo recomendado por la actualización de 2022 Echa un vistazo a este breve VA de [@ArchanaVajjala](#) sobre indicaciones y nueva clasificación <https://t.co/5l77BkHs4Q>



Joseph Flynn, MD @drjosflynn

an hour ago

RT [@ipnaje](#): How to participate in [@IPNAJC](#) 1. Log onto TweetDeck & search [#IPNAJC](#) 2. Please introduce yourself (even if you are lurking) 🙋 & declare any [#COI](#) 3. Tag all Tweets with [#IPNAJC](#) <https://t.co/mSiMLfuzKV> are some rules to have fun & lively discussion <https://t.co/svxoMNYllc>



Archana Vajjala @ArchanaVajjala

an hour ago

Hi, this is Archana from Hyderabad. Excited to learn! No COI [#IPNAJC](#)



Joseph Flynn, MD @drjosflynn

an hour ago

RT [@ipnaje](#): Let's look at the major indications for using ABPM as recommended by the 2022 update Check out this succinct VA by [@ArchanaVajjala](#) on indications and new classification [#IPNAJC](#) <https://t.co/7w7S31qDAf>



Joseph Flynn, MD @drjosflynn

an hour ago

[@ipnaje](#) [@ArchanaVajjala](#) Love this GA! [#IPNAJC](#)



Sudha Mannemuddhu MD @drM_sudha

an hour ago

RT [@ipnaje](#): Let's look at the major indications for using ABPM as recommended by the 2022 update Check out this succinct VA by [@ArchanaVajjala](#) on indications and new classification [#IPNAJC](#) <https://t.co/7w7S31qDAf>



Franklin Loachamin @FranLoachamin

an hour ago

[#IPNAJC](#) ¿Quiénes son los pacientes de alto riesgo?



Missy Hanna, MD, MS @dr_missyhanna

an hour ago


[@ipnaje](#) [@NASA](#) Change is good! Love the new system [#IPNAJC](#)



IPNA Journal Club @ipnaje

an hour ago

Any other high risk patient you would consider? ? Lupus ? ADPKD ?solitary kidney [#IPNAJC](#)



dr.azmeri @drazmeri

an hour ago

RT [@ipnaje](#): Let's look at the major indications for using ABPM as recommended by the 2022 update Check out this succinct VA by [@ArchanaVajjala](#) on indications and new classification [#IPNAJC](#) <https://t.co/7w7S31qDAf>





IPNA Journal Club @ipnaja

an hour ago

do we still perform annual ABPM in these high risk pts? #IPNAJC



IPNA Journal Club @ipnaja

an hour ago

We are well versed with "standardized" office BP measurement technique Lets review the standardized technique to obtain an ABPM VA by @MdhAz09 highlights the key points #IPNAJC <https://t.co/yscJWk2c5f>



Joseph Flynn, MD @drjosflynn

an hour ago

@ipnaja Maybe, yes, and yes! #IPNAJC



IPNA Journal Club @ipnaja

an hour ago

RT @drjosflynn: @ipnaja Maybe, yes, and yes! #IPNAJC



miguel angel franco @83_kelimig

an hour ago

RT @ipnaja: We are well versed with "standardized" office BP measurement technique Lets review the standardized technique to obtain an ABPM VA by @MdhAz09 highlights the key points #IPNAJC <https://t.co/yscJWk2c5f>



Sudha Mannemuddhu MD @drM_sudha

an hour ago

@drjosflynn @ipnaja @NASA I like the new one too. Simplicity = less time= less mistakes Also I never understood why a 16-17 year old's had higher thresholds than an 18 year old #ipnaja



Joseph Flynn, MD @drjosflynn

an hour ago

@ipnaja Even at @seattlechildren annual ABPM in patients with CKD is an aspirational goal, right @HalbachSusan ? #IPNAJC



miguel angel franco @83_kelimig

an hour ago

RT @ipnaja: Let's look at the major indications for using ABPM as recommended by the 2022 update Check out this succinct VA by @ArchanaVajjala on indications and new classification #IPNAJC <https://t.co/7w7S31qDAf>



Franklin Loachamin @FranLoachamin

an hour ago

•Estamos bien versados en la técnica de medición de PA de oficina "estandarizada" •Repasemos la técnica estandarizada para obtener una MAPA •VA por @MdhAz09 destaca los puntos clave #IPNAJC <https://t.co/r9Cmc5nMgg>



 **suprita86087893** an hour ago
RT @drjosflynn: @nefron1310 @ipnaja @drM_sudha @asouth_neph @suprita86087893 @wmu_abdulqader83 @MdhAz09 @FranLoachamin @SwastiThinks @DrMalinaM Two major uses: -rule out white coat HTN -assess for masked HTN #IPNAJC

 **IPNA Journal Club** @ipnaja an hour ago
•Trained personnel •Use appropriate size cuffs •Validated devices •Non-dominant arm •Compare with office BP using same technique #IPNAJC <https://t.co/iVqzPPSHoR>

 **miguel angel franco** @83_kelimig an hour ago
Puntos claves en MAPA #IPNAJC

 **Sudha Mannemuddhu MD** @drM_sudha an hour ago
@bisnotbiz welcome! #ipnaja

 **Sudha Mannemuddhu MD** @drM_sudha an hour ago
@drpriajohn @ipnaja Welcome! #IPNAJC

 **Sudha Mannemuddhu MD** @drM_sudha an hour ago
RT @ipnaja: While people introduce themselves, here's a fantastic summary by @suprita86087893 <https://t.co/yEGtLv8bBq> Amazing visual abstract by @MdhAz09 and @ArchanaVajjala #IPNAJC <https://t.co/WwRatxA8PI>

 **Franklin Loachamin** @FranLoachamin an hour ago
•Personal entrenado •Utilice manguitos del tamaño adecuado •Dispositivos validados •brazo no dominante •Compare con la oficina BP usando la misma técnica #IPNAJC

 **Sudha Mannemuddhu MD** @drM_sudha an hour ago
RT @ipnaja: While you wait, check out this excellent visual abstract by #IPNAJC @MdhAz09 and @ArchanaVajjala <https://t.co/PPBAAtIMjSb>

 **Joseph Flynn, MD** @drjosflynn an hour ago
RT @ipnaja: •Trained personnel •Use appropriate size cuffs •Validated devices •Non-dominant arm •Compare with office BP using same technique #IPNAJC <https://t.co/iVqzPPSHoR>

 **Ei Khin** @ekhin_6 44 minutes ago
My office needs to do prior authorization for all ABPM. What about other institutions? #IPNAJC



.oachamin @FranLoachamin

44 minutes ago

¿Pone el ABPM en su práctica? [#IPNAJC](#)



IPNA Journal Club @ipnaja

44 minutes ago

Who places ABPM on your patients? [#IPNAJC](#)



Swasti Chaturvedi @SwastiThinks

43 minutes ago

RT [@drjosflynn](#): [@nefron1310](#) [@ipnaja](#) [@drM_sudha](#) [@asouth_neph](#) [@suprita86087893](#)

[@md_abdulqader83](#) [@MdhAz09](#) [@FranLoachamin](#) [@SwastiThinks](#) [@DrMalinaM](#) Two major uses:

-rule out white coat HTN -assess for masked HTN [#IPNAJC](#)



Sudha Mannemuddhu MD @drM_sudha

43 minutes ago

[@nefron1310](#) [@drjosflynn](#) [@ipnaja](#) [@seattlechildren](#) [@HalbachSusan](#) Children and parents hate it equally. Convincing them to wear at least once every 2 years. [#IPNAJC](#)



Ei Khin @ekhin_6

43 minutes ago

Medical assistant



Joseph Flynn, MD @drjosflynn

43 minutes ago

[@ipnaja](#) Our fantastic [@seattlechildren](#) nephrology nursing staff! [#IPNAJC](#)



Joseph Flynn, MD @drjosflynn

43 minutes ago

RT [@drM_sudha](#): [@nefron1310](#) [@drjosflynn](#) [@ipnaja](#) [@seattlechildren](#) [@HalbachSusan](#) Children and parents hate it equally. Convincing them to wear at least once every 2 years. [#IPNAJC](#)



IPNA Journal Club @ipnaja

42 minutes ago

•Do you always use a 24 hour period? •Any clinical scenarios you would keep it longer [#IPNAJC](#)

<https://t.co/A3THJqUYju>



Joseph Flynn, MD @drjosflynn

42 minutes ago

[@ipnaja](#) 44h in [#hemodialysis](#) [#IPNAJC](#)



Shweta Shah @nefron1310

41 minutes ago

RT [@drjosflynn](#): [@ipnaja](#) 44h in [#hemodialysis](#) [#IPNAJC](#)



NefroClass @NefroClassMx

41 minutes ago

RT [@FranLoachamin](#): ¿Quién pone el ABPM en su práctica? [#IPNAJC](#)



 **NefroClass** [@NefroClassMx](#) 41 minutes ago
RT [@FranLoachamin](#): •Personal entrenado •Utilice manguitos del tamaño adecuado
•Dispositivos validados •brazo no dominante •Compare con la oficina BP usando la misma técnica [#IPNAJC](#)

 **IPNA Journal Club** [@ipnajc](#) 41 minutes ago
[#IPNAJC](#) What defines an optimum ABPM reading?

 **NefroClass** [@NefroClassMx](#) 41 minutes ago
RT [@FranLoachamin](#): •Estamos bien versados en la técnica de medición de PA de oficina "estandarizada" •Repasemos la técnica estandarizada para obtener una MAPA •VA por [@MdhAz09](#) destaca los puntos clave [#IPNAJC](#) <https://t.co/r9Cmc5nMgg>

 **NefroClass** [@NefroClassMx](#) 41 minutes ago
RT [@FranLoachamin](#): [#IPNAJC](#) ¿Quiénes son los pacientes de alto riesgo?

 **Franklin Loachamin** [@FranLoachamin](#) 41 minutes ago
•¿Utiliza siempre un período de 24 horas? •Cualquier escenario clínico lo mantendría más tiempo [#IPNAJC](#)

 **Franklin Loachamin** [@FranLoachamin](#) 41 minutes ago
[#IPNAJC](#) ¿Qué define una lectura ABPM óptima?

 **suprita** [@suprita86087893](#) 41 minutes ago
[@ipnajc](#) [#IPNAJC](#) 2014 classification was certainly a bit complex

 **IPNA Journal Club** [@ipnajc](#) 40 minutes ago
•70% (40-50)successful readings •Minimum 1 reading per hour including sleep period
•Acceptable if worn for at least 18 hrs, includes sleep period and meets all criteria •Sleep-wake diaries should be used for analysis [#IPNAJC](#) <https://t.co/PzSTYAorO3>

 **M Abdul Qader** [@md_abdulqader83](#) 40 minutes ago
M Abdul Qader, Pediatric Nephrologist from Dhaka, Bangladesh. No COI [#IPNAJC](#)

 **NefroClass** [@NefroClassMx](#) 40 minutes ago
RT [@FranLoachamin](#): [#IPNAJC](#) Veamos las principales indicaciones para usar ABPM según lo recomendado por la actualización de 2022 Echa un vistazo a este breve VA de [@ArchanaVajjala](#) sobre indicaciones y nueva clasificación <https://t.co/5l77BkHs4Q>

SYN

is @NefroClassMx

40 minutes ago

RT @FranLoachamin: #IPNAJC franklin loachamin , no coi , Ecuador !!!



NefroClass @NefroClassMx

40 minutes ago



RT @FranLoachamin: Para abordar los dos problemas anteriores, la actualización ABPM 2022 simplificó la clasificación -quitando la carga -utilizando punto de corte de un solo adulto en ≥ 13 años #IPNAJC <https://t.co/t7FhkOU2QC>



Joseph Flynn, MD @drjosflynn

39 minutes ago



@ekhin_6 We used to do that, but too time-consuming. Now we just do them whenever we want. Insurance pays for the vast majority. #IPNAJC



dr.azmeri @drazmeri

39 minutes ago



RT @ipnaja: •70% (40-50)successful readings •Minimum 1 reading per hour including sleep period •Acceptable if worn for at least 18 hrs, includes sleep period and meets all criteria •Sleep-wake diaries should be used for analysis #IPNAJC <https://t.co/PzSTYAorO3>



Joseph Flynn, MD @drjosflynn

39 minutes ago



RT @ipnaja: •70% (40-50)successful readings •Minimum 1 reading per hour including sleep period •Acceptable if worn for at least 18 hrs, includes sleep period and meets all criteria •Sleep-wake diaries should be used for analysis #IPNAJC <https://t.co/PzSTYAorO3>



Franklin Loachamin @FranLoachamin

39 minutes ago



RT @drjosflynn: @ekhin_6 We used to do that, but too time-consuming. Now we just do them whenever we want. Insurance pays for the vast majority. #IPNAJC



IPNA Journal Club @ipnaja

38 minutes ago

that would be wonderful! #IPNAJC



IPNA Journal Club @ipnaja

38 minutes ago

Include •24 hr mean ambulatory SBP and DBP should be recorded for wake and sleep period •Dipping percent for both SBP and DBP •Appropriate pediatric normative data #IPNAJC



Franklin Loachamin @FranLoachamin

38 minutes ago



Incluir •Se debe registrar la PAS y la PAD media ambulatoria de 24 horas para el período de vigilia y sueño. •Porcentaje de caída para SBP y DBP •Datos normativos pediátricos apropiados #IPNAJC





[@drzmeri](#)

38 minutes ago

RT [@drjosflynn](#): Include •24 hr mean ambulatory SBP and DBP should be recorded for wake and sleep period •Dipping percent for both SBP and DBP •Appropriate pediatric normative data [#IPNAJC](#)



Sudha Mannemuddhu MD [@drM_sudha](#)
[@drjosflynn](#) [@ekhin_6](#) same with us [#ipnajc](#)

37 minutes ago



IPNA Journal Club [@ipnajc](#)

37 minutes ago

Exclude •Outlying values •Resting BP reading measured in clinic during placement •Readings during vigorous exercise [#IPNAJC](#)



Franklin Loachamin [@FranLoachamin](#)

37 minutes ago

Excluir •Valores periféricos •Lecturas de PA en reposo medida en la clínica durante la colocación •Lecturas durante el ejercicio vigoroso [#IPNAJC](#)



NefroClass [@NefroClassMx](#)

37 minutes ago

RT [@FranLoachamin](#): Excluir •Valores periféricos •Lecturas de PA en reposo medida en la clínica durante la colocación •Lecturas durante el ejercicio vigoroso [#IPNAJC](#)



NefroClass [@NefroClassMx](#)

37 minutes ago

RT [@FranLoachamin](#): Incluir •Se debe registrar la PAS y la PAD media ambulatoria de 24 horas para el período de vigilia y sueño. •Porcentaje de caída para SBP y DBP •Datos normativos pediátricos apropiados [#IPNAJC](#)



NefroClass [@NefroClassMx](#)

37 minutes ago

RT [@drjosflynn](#): [@ekhin_6](#) We used to do that, but too time-consuming. Now we just do them whenever we want. Insurance pays for the vast majority. [#IPNAJC](#)



NefroClass [@NefroClassMx](#)

37 minutes ago

RT [@FranLoachamin](#): [#IPNAJC](#) ¿Qué define una lectura ABPM óptima?



M Abdul Qader [@md_abdulqader83](#)

36 minutes ago

RT [@ipnajc](#): Exclude •Outlying values •Resting BP reading measured in clinic during placement •Readings during vigorous exercise [#IPNAJC](#)



Sudha Mannemuddhu MD [@drM_sudha](#)
[@md_abdulqader83](#) welcome, Abdul! [#IPNAJC](#)

36 minutes ago





renal Club 🇪🇺 @ipnaje

36 minutes ago

What type of ABPM device do you use? #IPNAJC



Lilian Villalba 🇦🇷 @LilianCVillalba

36 minutes ago

@ipnaje too....kidney transplant recipient #IPNAJC



Joseph Flynn, MD @drjosflynn

36 minutes ago

@BobWoroniecki @ipnaje A few years ago, we tried to get funding from @NIH to develop new normative ABPM data, but grant flopped. #IPNAJC



Sociedad Ecuatoriana De Nefrología SEN @nefrologiaecu

36 minutes ago

RT @FranLoachamin: Excluir •Valores periféricos •Lecturas de PA en reposo medida en la clínica durante la colocación •Lecturas durante el ejercicio vigoroso #IPNAJC



Sociedad Ecuatoriana De Nefrología SEN @nefrologiaecu

36 minutes ago

RT @FranLoachamin: Incluir •Se debe registrar la PAS y la PAD media ambulatoria de 24 horas para el período de vigilia y sueño. •Porcentaje de caída para SBP y DBP •Datos normativos pediátricos apropiados #IPNAJC



Sudha Mannemuddhu MD @drM_sudha

36 minutes ago

RT @ipnaje: Include •24 hr mean ambulatory SBP and DBP should be recorded for wake and sleep period •Dipping percent for both SBP and DBP •Appropriate pediatric normative data #IPNAJC



Joseph Flynn, MD @drjosflynn

36 minutes ago

RT @ipnaje: Include •24 hr mean ambulatory SBP and DBP should be recorded for wake and sleep period •Dipping percent for both SBP and DBP •Appropriate pediatric normative data #IPNAJC



suprita @suprita86087893

36 minutes ago

#IPNAJC Adequate ABPM record



Joseph Flynn, MD @drjosflynn

36 minutes ago

RT @FranLoachamin: #IPNAJC ¿Qué define una lectura ABPM óptima?



Sudha Mannemuddhu MD @drM_sudha

35 minutes ago

RT @ipnaje: Who places ABPM on your patients? #IPNAJC



IPNA Journal Club  @ipnaja

35 minutes ago



RT @ipnaja: -2014 schema had 6 categories based on load/mean BP 2022 update has 4 categories by removing load criteria and using single-cut off BP for those ≥ 13 yr -Lower the threshold for diagnosis ~ 2017 AAP CPG & in alignment with 2017 ACC/AHA adult guideline [#IPNAJC](#)



Franklin Loachamin @FranLoachamin

35 minutes ago

¿Qué tipo de dispositivo ABPM / MAPA utiliza? [#IPNAJC](#)



Joseph Flynn, MD @drjosflynn

35 minutes ago

RT @ipnaja: -2014 schema had 6 categories based on load/mean BP 2022 update has 4 categories by removing load criteria and using single-cut off BP for those ≥ 13 yr -Lower the threshold for diagnosis ~ 2017 AAP CPG & in alignment with 2017 ACC/AHA adult guideline [#IPNAJC](#)



M Abdul Qader  @md_abdulqader83

35 minutes ago

RT @ipnaja: -2014 schema had 6 categories based on load/mean BP 2022 update has 4 categories by removing load criteria and using single-cut off BP for those ≥ 13 yr -Lower the threshold for diagnosis ~ 2017 AAP CPG & in alignment with 2017 ACC/AHA adult guideline [#IPNAJC](#)



Sudha Mannemuddhu MD @drM_sudha

35 minutes ago

RT @FranLoachamin: Para abordar los dos problemas anteriores, la actualización ABPM 2022 simplificó la clasificación -quitando la carga -utilizando punto de corte de un solo adulto en ≥ 13 años [#IPNAJC](#) <https://t.co/t7FhkOU2QC>



Sudha Mannemuddhu MD @drM_sudha

35 minutes ago

RT @ipnaja: To address the above two issues, the 2022 ABPM update simplified the classification -by taking away the load -using adult single-point cut off in ≥ 13 yr [#IPNAJC](#) <https://t.co/HWqoLp9aQn>



Sudha Mannemuddhu MD @drM_sudha

34 minutes ago

@BobWoroniecki welcome! [#ipnaja](#)



IPNA Journal Club  @ipnaja

34 minutes ago

BP load criteria not only made the classification schema more complicated but evidence from CKiD and SHIP AHOY studies showed no clear benefit of using load independently or in conjunction with mean BP to predict LVH Time to unload! [#IPNAJC](#) <https://t.co/kes6npMxDW>





Qader 🇲🇪 [@md_abdulqader83](#)

34 minutes ago

RT @ipnajt: BP load criteria not only made the classification schema more complicated but evidence from CKiD and SHIP AHOY studies showed no clear benefit of using load independently or in conjunction with mean BP to predict LVH Time to unload! [#IPNAJC](#) <https://t.co/kes6npMxDW>



Joseph Flynn, MD [@drjosflynn](#)

34 minutes ago

[@ipnajt](#) We're using the [@spacelabs](#) OnTrak device almost exclusively now. Our older models have all malfunctioned. [#IPNAJC](#)



Archana Vajjala [@ArchanaVajjala](#)

33 minutes ago

RT [@ipnajt](#): -2014 schema had 6 categories based on load/mean BP 2022 update has 4 categories by removing load criteria and using single-cut off BP for those ≥ 13 yr -Lower the threshold for diagnosis ~ 2017 AAP CPG & in alignment with 2017 ACC/AHA adult guideline [#IPNAJC](#)



Franklin Loachamin [@FranLoachamin](#)

33 minutes ago

2014 tenía 6 categorías basadas en carga/media de PA Actualización 2022 tiene 4 categorías al eliminar los criterios de carga y usar BP de corte único para aquellos ≥ 13 años -Reducir umbral para el dg ~ 2017 AAP CPG y en alineación con guía para adultos ACC / AHA 2017 [#IPNAJC](#)



IPNA Journal Club 🇲🇪 [@ipnajt](#)

33 minutes ago

-Lets dig into rationale -In tall, older adolescents (M>F), the 95th centile SBP was higher than adult BP cut off by ESH and ACC/AHA norms Eg., 95th centile for 16yr wake BP 144, sleep 126 and 24 hr mean 138! This is way higher than what they use in a 40 yr old adult! [#IPNAJC](#)



Joseph Flynn, MD [@drjosflynn](#)

33 minutes ago

Love this! [#IPNAJC](#)



M Abdul Qader 🇲🇪 [@md_abdulqader83](#)

33 minutes ago

RT [@ipnajt](#): -Lets dig into rationale -In tall, older adolescents (M>F), the 95th centile SBP was higher than adult BP cut off by ESH and ACC/AHA norms Eg., 95th centile for 16yr wake BP 144, sleep 126 and 24 hr mean 138! This is way higher than what they use in a 40 yr old adult! [#IPNAJC](#)



Franklin Loachamin [@FranLoachamin](#)

33 minutes ago

Los criterios de carga de PA no solo complicaron el esquema de clasificación, sino que la evidencia de los estudios CKiD y SHIP AHOY no mostró un beneficio claro de usar la carga de forma independiente o junto con la PA media para predecir la HVI ¡Hora de descargar! [#IPNAJC](#) <https://t.co/H2l0riNZio>



Joseph Flynn, MD @drjosflynn

33 minutes ago



RT @ipnajt: -Let's dig into rationale -In tall, older adolescents (M>F), the 95th centile SBP was higher than adult BP cut off by ESH and ACC/AHA norms Eg., 95th centile for 16yr wake BP 144, sleep 126 and 24 hr mean 138! This is way higher than what they use in a 40 yr old adult! #IPNAJC



Joseph Flynn, MD @drjosflynn

32 minutes ago



RT @FranLoachamin: Los criterios de carga de PA no solo complicaron el esquema de clasificación, sino que la evidencia de los estudios CKiD y SHIP AHOY no mostró un beneficio claro de usar la carga de forma independiente o junto con la PA media para predecir la HVI ¡Hora de descargar! #IPNAJC <https://t.co/H2I0riNZio>



IPNA Journal Club @ipnajt

32 minutes ago



-DBP 95th centile were higher than adult ACC/AHA thresholds irrespective of age or height - Moreover, the SHIP AHOY and other smaller studies showed that using adult cut off for pediatric ABPM instead of 95th centile did not affect association with LVH #IPNAJC



Franklin Loachamin @FranLoachamin

32 minutes ago



•Por ejemplo, percentil 95 para 16 años de BP de vigilia 144, sueño 126 y 24 horas media 138. ¡Esto es mucho más alto que lo que usan en un adulto de 40 años! #IPNAJC



Franklin Loachamin @FranLoachamin

32 minutes ago



•Profundicemos en la justificación para cambiar al corte de PA de un solo punto •En adolescentes altos y mayores (M>F), la PAS del percentil 95 fue más alta que la PA de un adulto cortada por las normas ESH y ACC/AHA #IPNAJC



Ei Khin @ekhin_6

32 minutes ago



Updates ABPM #IPNAJC



Joseph Flynn, MD @drjosflynn

32 minutes ago



RT @ipnajt: -DBP 95th centile were higher than adult ACC/AHA thresholds irrespective of age or height -Moreover, the SHIP AHOY and other smaller studies showed that using adult cut off for pediatric ABPM instead of 95th centile did not affect association with LVH #IPNAJC



IPNA Journal Club @ipnajt

31 minutes ago

What clinical scenarios do you see isolated diastolic hypertension? #IPNAJC





Loachamin @FranLoachamin

31 minutes ago


•El p 95 de la PAD fue más alto que los umbrales ACC/AHA para adultos, independientemente de edad o altura •Además, SHIP AHOY y otros estudios demostraron que el uso del punto de corte para adultos para MAPA pediátrico en lugar del p 95 no afectó la asociación con HVI [#IPNAJC](#)



Franklin Loachamin @FranLoachamin

31 minutes ago


•¿En qué escenarios clínicos ve hipertensión diastólica aislada? [#IPNAJC](#)



IPNA Journal Club @ipnalc

30 minutes ago

What justifies its continued use in the new ABPM guideline? [#IPNAJC](#)



Sociedad Ecuatoriana De Nefrología SEN @nefrologiaecu

30 minutes ago

RT [@FranLoachamin](#): •¿En qué escenarios clínicos ve hipertensión diastólica aislada? [#IPNAJC](#)



Sociedad Ecuatoriana De Nefrología SEN @nefrologiaecu

30 minutes ago

RT [@FranLoachamin](#): •El p 95 de la PAD fue más alto que los umbrales ACC/AHA para adultos, independientemente de edad o altura •Además, SHIP AHOY y otros estudios demostraron que el uso del punto de corte para adultos para MAPA pediátrico en lugar del p 95 no afectó la asociación con HVI [#IPNAJC](#)



Sociedad Ecuatoriana De Nefrología SEN @nefrologiaecu

30 minutes ago

RT [@FranLoachamin](#): •Profundicemos en la justificación para cambiar al corte de PA de un solo punto •En adolescentes altos y mayores (M>F), la PAS del percentil 95 fue más alta que la PA de un adulto cortada por las normas ESH y ACC/AHA [#IPNAJC](#)



Sociedad Ecuatoriana De Nefrología SEN @nefrologiaecu

30 minutes ago

RT [@FranLoachamin](#): •Por ejemplo, percentil 95 para 16 años de BP de vigilia 144, sueño 126 y 24 horas media 138. ¡Esto es mucho más alto que lo que usan en un adulto de 40 años! [#IPNAJC](#)



Sociedad Ecuatoriana De Nefrología SEN @nefrologiaecu

30 minutes ago

RT [@FranLoachamin](#): Los criterios de carga de PA no solo complicaron el esquema de clasificación, sino que la evidencia de los estudios CKiD y SHIP AHOY no mostró un beneficio claro de usar la carga de forma independiente o junto con la PA media para predecir la HVI ¡Hora de descargar! [#IPNAJC](#) <https://t.co/H2l0riNZio>



Ecuatoriana De Nefrología SEN @nefrologiaecu

30 minutes ago



RT @FranLoachamin: 2014 tenía 6 categorías basadas en carga/media de PA Actualización 2022 tiene 4 categorías al eliminar los criterios de carga y usar BP de corte único para aquellos ≥ 13 años -Reducir umbral para el dg ~ 2017 AAP CPG y en alineación con guía para adultos ACC / AHA 2017 #IPNAJC



Sociedad Ecuatoriana De Nefrología SEN @nefrologiaecu

30 minutes ago

RT @FranLoachamin: ¿Qué tipo de dispositivo ABPM / MAPA utiliza? #IPNAJC



Joseph Flynn, MD @drjosflynn

30 minutes ago

@ipnajt Mostly in secondary HTN like PKD and RVHTN. #IPNAJC



Sociedad Ecuatoriana De Nefrología SEN @nefrologiaecu

30 minutes ago

RT @83_kelimig: Puntos claves en MAPA #IPNAJC



Joseph Flynn, MD @drjosflynn

29 minutes ago

RT @FranLoachamin: •El p 95 de la PAD fue más alto que los umbrales ACC/AHA para adultos, independientemente de edad o altura •Además, SHIP AHOY y otros estudios demostraron que el uso del punto de corte para adultos para MAPA pediátrico en lugar del p 95 no afectó la asociación con HVI #IPNAJC



Shweta Shah @nefron1310

29 minutes ago

Any specific medication you would use @drjosflynn



Joseph Flynn, MD @drjosflynn

29 minutes ago

RT @FranLoachamin: •¿En qué escenarios clínicos ve hipertensión diastólica aislada? #IPNAJC



Franklin Loachamin @FranLoachamin

29 minutes ago

#IPNAJC •¿Qué justifica su uso continuado en la nueva guía MAPA?



IPNA Journal Club @ipnajt

29 minutes ago

RT @drjosflynn: @ipnajt Mostly in secondary HTN like PKD and RVHTN. #IPNAJC



IPNA Journal Club @ipnajt

29 minutes ago

-Diastolic hypertension in children is associated with secondary hypertension -the 95th centile cut off for DBP in Wuhl database were 82-84 mmHg without much variability by age/ht, so any reading above this is certainly a concerning number #IPNAJC





Joseph Flynn, MD @drjosflynn

29 minutes ago

RT @chishti_aftab @ipnaja: -Diastolic hypertension in children is associated with secondary hypertension -the 95th percentile cut off for DBP in Wuhl database were 82-84 mmHg without much variability by age/ht, so any reading above this is certainly a concerning number [#IPNAJC](#)



IPNA Journal Club @ipnaja

28 minutes ago

Given the high prevalence of nocturnal hypertension in solid organ Tx, OSA, obese and CKD pts and association with TOD, the 2022 gives equal weight to night time readings as it does to wake periods [#IPNAJC](#)



Sudha Mannemuddhu MD @drM_sudha

28 minutes ago

RT @drjosflynn: @ipnaja Mostly in secondary HTN like PKD and RVHTN. [#IPNAJC](#)



Catherine J @CatherineJ20

28 minutes ago

Peds nephrologist, Texas Children's/ Baylor. Houston, TX. Lurking. [#ipnaja](#)



Franklin Loachamin @FranLoachamin

27 minutes ago

•La HT diast en niños se asocia con HTA 2ria [#IPNAJC](#)



Franklin Loachamin @FranLoachamin

27 minutes ago

•Aunque existe preocupación por la medición de la PAD por MAPA debido a la técnica oscilométrica, el límite del p95 para la PAD en la base de datos de Wuhl fue de 82-84 mmHg sin variabilidad edad/altura, cualquier lectura por encima de esto es un número preocupante. [#IPNAJC](#)



IPNA Journal Club @ipnaja

27 minutes ago

Other conditions where nocturnal HTN is common is •Sickle cell dz •Lupus •ADPKD •Steroid sensitive nephrotic syndrome •Type I DM •Solitary kidney •children born preterm [#IPNAJC](#)



Joseph Flynn, MD @drjosflynn

27 minutes ago

@chishti_aftab @ipnaja Yes, I think this should be standard of care in [#HD](#). You want to see the BP on the day BEFORE a dialysis session - that correlates better w/intermediate outcomes like LVH. [#IPNAJC](#)



Franklin Loachamin @FranLoachamin

27 minutes ago

Dada la alta prevalencia de hipertensión nocturna en pacientes Tx de órganos sólidos, AOS, obesos y con ERC y la asociación con TOD, el 2022 otorga el mismo peso a las lecturas nocturnas que a los períodos de vigilia. [#IPNAJC](#)





Joseph Flynn, MD @drjosflynn

27 minutes ago

RT @chishti_aftab @ipnajt: Given the high prevalence of nocturnal hypertension in solid organ Tx, OSA, obese and CKD pts and association with TOD, the 2022 gives equal weight to night time readings as it does to wake periods [#IPNAJC](#)



Franklin Loachamin @FranLoachamin

27 minutes ago

Otras condiciones donde la HTA nocturna es común es •Dz de células falciformes •Lupus •ADPKD •Síndrome nefrótico sensible a esteroides •DM tipo I •Riñón único •prematuros [#IPNAJC](#)



Sudha Mannemuddhu MD @drM_sudha

27 minutes ago

RT @ipnajt: -2014 schema had 6 categories based on load/mean BP 2022 update has 4 categories by removing load criteria and using single-cut off BP for those ≥ 13 yr -Lower the threshold for diagnosis ~ 2017 AAP CPG & in alignment with 2017 ACC/AHA adult guideline [#IPNAJC](#)



IPNA Journal Club @ipnajt

27 minutes ago

RT @drjosflynn: @chishti_aftab @ipnajt Yes, I think this should be standard of care in [#HD](#). You want to see the BP on the day BEFORE a dialysis session - that correlates better w/intermediate outcomes like LVH. [#IPNAJC](#)



Ei Khin @ekhin_6

27 minutes ago

RT @ipnajt: Other conditions where nocturnal HTN is common is •Sickle cell dz •Lupus •ADPKD •Steroid sensitive nephrotic syndrome •Type I DM •Solitary kidney •children born preterm [#IPNAJC](#)



Joseph Flynn, MD @drjosflynn

26 minutes ago

RT @FranLoachamin: Otras condiciones donde la HTA nocturna es común es •Dz de células falciformes •Lupus •ADPKD •Síndrome nefrótico sensible a esteroides •DM tipo I •Riñón único •prematuros [#IPNAJC](#)



Joseph Flynn, MD @drjosflynn

26 minutes ago

RT @FranLoachamin: Dada la alta prevalencia de hipertensión nocturna en pacientes Tx de órganos sólidos, AOS, obesos y con ERC y la asociación con TOD, el 2022 otorga el mismo peso a las lecturas nocturnas que a los períodos de vigilia. [#IPNAJC](#)



ynn, MD @drjosflynn

26 minutes ago



RT @FranLoachamin: •Aunque existe preocupación por la medición de la PAD por MAPA debido a la técnica oscilométrica, el límite del p95 para la PAD en la base de datos de Wuhl fue de 82-84 mmHg sin variabilidad edad/altura, cualquier lectura por encima de esto es un número preocupante. #IPNAJC



Joseph Flynn, MD @drjosflynn

26 minutes ago

RT @FranLoachamin: •La HT diast en niños se asocia con HTA 2ria #IPNAJC



Joseph Flynn, MD @drjosflynn

25 minutes ago

@chishti_atab @ipnaja Good to hear! #IPNAJC



IPNA Journal Club @ipnaja

25 minutes ago

•WCH continues to be diagnosed using same criteria •Prevalence varies but it common •Has association with early CVD and TOD as compared to normotensive pt •ABPM remains useful tool to diagnose WCH #IPNAJC



Joseph Flynn, MD @drjosflynn

25 minutes ago

RT @ipnaja: Other conditions where nocturnal HTN is common is •Sickle cell dz •Lupus •ADPKD •Steroid sensitive nephrotic syndrome •Type I DM •Solitary kidney •children born preterm #IPNAJC



Shweta Shah @nefron1310

25 minutes ago

To treat or not to treat and what specific medication / timing? # IPNAJC



IPNA Journal Club @ipnaja

25 minutes ago

RT @nefron1310: To treat or not to treat and what specific medication / timing? # IPNAJC



Sudha Mannemuddhu MD @drM_sudha

25 minutes ago

RT @ipnaja: •WCH continues to be diagnosed using same criteria •Prevalence varies but it common •Has association with early CVD and TOD as compared to normotensive pt •ABPM remains useful tool to diagnose WCH #IPNAJC



Franklin Loachamin @FranLoachamin

24 minutes ago

•La HBB continúa siendo diagnosticada con los mismos criterios •La prevalencia varía pero es común •Tiene asociación con CVD y TOD tempranos en comparación con pt normotensos •MAPA sigue siendo una herramienta útil para diagnosticar HBB #IPNAJC





Bob Woroniecki [@BobWoroniecki](#)

24 minutes ago

Some of my 10y old patients are bigger than me, so I am using adult ABPM norms on anyone who looks and measures as adult. I think a lot of kids are like "small adults" in that sense. [#IPNAJC](#)



Swasti Chaturvedi [@SwastiThinks](#)

24 minutes ago

This is [@SwastiThinks](#), Paediatric Nephrologist from Australia, No COI [#IPNAJC](#)



Sudha Mannemuddhu MD [@drM_sudha](#)

24 minutes ago

RT [@BobWoroniecki](#): [@ipnajt](#) Some of my 10y old patients are bigger than me, so I am using adult ABPM norms on anyone who looks and measures as adult. I think a lot of kids are like "small adults" in that sense. [#IPNAJC](#)



Joseph Flynn, MD [@drjosflynn](#)

24 minutes ago

ABPM is the gold standard for diagnosis of WCH, right [@TammyBradyMD](#) [@jordy_bc](#) [#IPNAJC](#)



Archana Vajjala [@ArchanaVajjala](#)

24 minutes ago

RT [@ipnajt](#): Let's look at the major indications for using ABPM as recommended by the 2022 update Check out this succinct VA by [@ArchanaVajjala](#) on indications and new classification [#IPNAJC](#) <https://t.co/7w7S31qDAf>



Lilian Villalba [@LilianCVillalba](#)

24 minutes ago

Atención!! [#IPNAJC](#)



Sudha Mannemuddhu MD [@drM_sudha](#)

24 minutes ago

[@SwastiThinks](#) hello Swasti! [#IPNAJC](#)



Joseph Flynn, MD [@drjosflynn](#)

24 minutes ago

RT [@FranLoachamin](#): •La HBB continúa siendo diagnosticada con los mismos criterios •La prevalencia varía pero es común •Tiene asociación con CVD y TOD tempranos en comparación con pt normotensos •MAPA sigue siendo una herramienta útil para diagnosticar HBB [#IPNAJC](#)



IPNA Journal Club [@ipnajt](#)

23 minutes ago

•ABPM can unmask "masked" hypertension which is prevalent in youth with CKD, coarct repair, OSA •Prevalence is between 8-10% •Also associated with LVH in these high risk pts [#IPNAJC](#)



Joseph Flynn, MD [@drjosflynn](#)

23 minutes ago

RT [@LilianCVillalba](#): Atención!! [#IPNAJC](#)





.oachamin @FranLoachamin

23 minutes ago

RT @drjosflynn: @nefron1310 @ipnaja: Puntos claves en MAPA #IPNAJC



Franklin Loachamin @FranLoachamin

23 minutes ago

RT @drjosflynn: @nefron1310 @ipnaja: @drM_sudha @asouth_neph @suprita86087893 @md_abdulqader83 @MdhAz09 @FranLoachamin @SwastiThinks @DrMalinaM Two major uses: -rule out white coat HTN -assess for masked HTN #IPNAJC



Franklin Loachamin @FranLoachamin

23 minutes ago

•MAPA puede desenmascarar la hipertensión "enmascarada" que prevalece en jóvenes con ERC, reparación de coartación de aorta, OSA •La prevalencia es entre 8-10% •También asociado con HVI en estos pacientes de alto riesgo. #IPNAJC



Sudha Mannemuddhu MD @drM_sudha

22 minutes ago

RT @ipnaja: •ABPM can unmask "masked" hypertension which is prevalent in youth with CKD, coarct repair, OSA •Prevalence is between 8-10% •Also associated with LVH in these high risk pts #IPNAJC



Joseph Flynn, MD @drjosflynn

22 minutes ago

RT @ipnaja: •ABPM can unmask "masked" hypertension which is prevalent in youth with CKD, coarct repair, OSA •Prevalence is between 8-10% •Also associated with LVH in these high risk pts #IPNAJC



Joseph Flynn, MD @drjosflynn

22 minutes ago

RT @FranLoachamin: •Profundicemos en la justificación para cambiar al corte de PA de un solo punto •En adolescentes altos y mayores (M>F), la PAS del percentil 95 fue más alta que la PA de un adulto cortada por las normas ESH y ACC/AHA #IPNAJC



Swasti Chaturvedi @SwastiThinks

21 minutes ago

RT @drjosflynn: @chishti_aftab @ipnaja: Yes, I think this should be standard of care in #HD. You want to see the BP on the day BEFORE a dialysis session - that correlates better w/intermediate outcomes like LVH. #IPNAJC



Elisabeth Cole, MD, MS @bisnotbiz

21 minutes ago

Another example of the impact of prematurity on the kidneys! #IPNAJC



Lilian Villalba 🇦🇷 @LilianCVillalba

21 minutes ago

Muy buen aporte Doc!! #IPNAJC





renal Club 🇪🇸 @ipnaje

20 minutes ago

¿Cuál es alguna de las complicaciones o quejas que ha encontrado en los pacientes después de usar un monitor ABP? #IPNAJC



Joseph Flynn, MD @drjosflynn

20 minutes ago

RT @LilianCVillalba: Muy buen aporte Doc!! #IPNAJC



Sudha Mannemuddhu MD @drM_sudha

20 minutes ago

RT @ipnaje: Other conditions where nocturnal HTN is common is •Sickle cell dz •Lupus •ADPKD •Steroid sensitive nephrotic syndrome •Type I DM •Solitary kidney •children born preterm #IPNAJC



Swasti Chaturvedi @SwastiThinks

20 minutes ago

@ipnaje How do you follow up the kids with #WCH? @drjosflynn #IPNAJC



Joseph Flynn, MD @drjosflynn

20 minutes ago

RT @bisnotbiz: Another example of the impact of prematurity on the kidneys! #IPNAJC



Swasti Chaturvedi @SwastiThinks

20 minutes ago

RT @ipnaje: Other conditions where nocturnal HTN is common is •Sickle cell dz •Lupus •ADPKD •Steroid sensitive nephrotic syndrome •Type I DM •Solitary kidney •children born preterm #IPNAJC



Franklin Loachamin @FranLoachamin

20 minutes ago

¿Cuáles son algunos de los efectos secundarios comunes o quejas que ha encontrado en los pacientes después de usar un monitor ABP? #IPNAJC



Franklin Loachamin @FranLoachamin

19 minutes ago

RT @SwastiThinks: @ipnaje How do you follow up the kids with #WCH? @drjosflynn #IPNAJC



Joseph Flynn, MD @drjosflynn

19 minutes ago

@SwastiThinks @ipnaje Repeat ABPM in one year. Many will progress to ambulatory HTN - #IPNAJC <https://t.co/WjJPGxugRE>



Swasti Chaturvedi @SwastiThinks

19 minutes ago

@ipnaje Whats your practice for #ABPM for #SolitaryKidney? #Paednephtwitter @drjosflynn #IPNAJC





Loachamin @FranLoachamin

19 minutes ago

RT @drjosflynn: @chishti_aftab @ipnaja Yes, I think this should be standard of care in #HD. You want to see the BP on the day BEFORE a dialysis session - that correlates better w/intermediate outcomes like LVH. #IPNAJC



Shweta Shah @nefron1310

19 minutes ago

RT @drjosflynn: @SwastiThinks @ipnaja Repeat ABPM in one year. Many will progress to ambulatory HTN - #IPNAJC <https://t.co/WjJPGxugRE>



Swasti Chaturvedi @SwastiThinks

19 minutes ago

RT @ipnaja: -Diastolic hypertension in children is associated with secondary hypertension -the 95th centile cut off for DBP in Wuhl database were 82-84 mmHg without much variability by age/ht, so any reading above this is certainly a concerning number #IPNAJC



Elisabeth Cole, MD, MS @bisnotbiz

19 minutes ago

@ipnaja Device malfunction, annoyance, inability to complete activities of daily living, sleep disturbance, embarrassment when out in public. The list goes on! #IPNAJC



IPNA Journal Club @ipnaja

18 minutes ago

RT @drjosflynn: @SwastiThinks @ipnaja Repeat ABPM in one year. Many will progress to ambulatory HTN - #IPNAJC <https://t.co/WjJPGxugRE>



Swasti Chaturvedi @SwastiThinks

18 minutes ago

RT @drjosflynn: @ipnaja Mostly in secondary HTN like PKD and RVHTN. #IPNAJC



Joseph Flynn, MD @drjosflynn

18 minutes ago

@ipnaja Did not sleep well is our #1 complaint. #IPNAJC



IPNA Journal Club @ipnaja

18 minutes ago

●One recent study showed 32% significantly disturbed ●Intolerant during day(17%) and night(25%) ●Poor tolerability →higher ambulatory hypertension<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6398596/> #IPNAJC <https://t.co/YzmFMllnpr>



Franklin Loachamin @FranLoachamin

18 minutes ago

RT @bisnotbiz: Another example of the impact of prematurity on the kidneys! #IPNAJC





Vajjala @ArchanaVajjala

18 minutes ago

RT @ipnaja: Other conditions where nocturnal HTN is common is •Sickle cell dz •Lupus •ADPKD •Steroid sensitive nephrotic syndrome •Type I DM •Solitary kidney •children born preterm #IPNAJC



Swasti Chaturvedi @SwastiThinks

18 minutes ago

RT @ipnaja: -DBP 95th centile were higher than adult ACC/AHA thresholds irrespective of age or height -Moreover, the SHIP AHOY and other smaller studies showed that using adult cut off for pediatric ABPM instead of 95th centile did not affect association with LVH #IPNAJC



Lilian Villalba @LilianCVillalba

18 minutes ago

Menos complejidad Mayor aplicabilidad!! #IPNAJC



Franklin Loachamin @FranLoachamin

18 minutes ago

•Un estudio reciente mostró que el 32% estaba significativamente perturbado •Intolerante durante el día (17%) y la noche (25%) •Mala tolerabilidad →mayor ambulatorio hipertensión<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6398596/> #IPNAJC



IPNA Journal Club @ipnaja

18 minutes ago

Yes, with everything good, there is a side effect! #IPNAJC



Swasti Chaturvedi @SwastiThinks

18 minutes ago

RT @ipnaja: BP load criteria not only made the classification schema more complicated but evidence from CKiD and SHIP AHOY studies showed no clear benefit of using load independently or in conjunction with mean BP to predict LVH Time to unload! #IPNAJC <https://t.co/kes6npMxDW>



Swasti Chaturvedi @SwastiThinks

17 minutes ago

RT @ipnaja: -2014 schema had 6 categories based on load/mean BP 2022 update has 4 categories by removing load criteria and using single-cut off BP for those ≥ 13 yr -Lower the threshold for diagnosis ~ 2017 AAP CPG & in alignment with 2017 ACC/AHA adult guideline #IPNAJC



Joseph Flynn, MD @drjosflynn

17 minutes ago

@ipnaja Yes, that was one of our papers from the SHIP-AHOY study! #IPNAJC



Swasti Chaturvedi @SwastiThinks

17 minutes ago

RT @ipnaja: that would be wonderful! #IPNAJC



SYN

[suprita86087893](#)

17 minutes ago

🔗 5c 07 [orjicki @drM_sudha @ipnaje #IPNAJC](#) food for thought for next ABPM update, chronological age or height age more appropriate <https://t.co/immSILJoLy>



Swasti Chaturvedi [@SwastiThinks](#)

17 minutes ago

RT [@ipnaje](#): •70% (40-50)successful readings •Minimum 1 reading per hour including sleep period •Acceptable if worn for at least 18 hrs, includes sleep period and meets all criteria •Sleep-wake diaries should be used for analysis [#IPNAJC](#) <https://t.co/PzSTYAorO3>



Joseph Flynn, MD [@drjosflynn](#)

17 minutes ago

RT [@FranLoachamin](#): •Un estudio reciente mostró que el 32% estaba significativamente perturbado •Intolerante durante el día (17%) y la noche (25%) •Mala tolerabilidad → mayor ambulatorio hipertensión <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6398596/> [#IPNAJC](#)



Swasti Chaturvedi [@SwastiThinks](#)

16 minutes ago

RT [@drjosflynn](#): [@ipnaje](#) Our fantastic [@seattlechildren](#) nephrology nursing staff! [#IPNAJC](#)



Swasti Chaturvedi [@SwastiThinks](#)

16 minutes ago

RT [@ipnaje](#): •Trained personnel •Use appropriate size cuffs •Validated devices •Non-dominant arm •Compare with office BP using same technique [#IPNAJC](#) <https://t.co/iVqzPPSHoR>



Joseph Flynn, MD [@drjosflynn](#)

16 minutes ago

RT [@bisnotbiz](#): [@ipnaje](#) Device malfunction, annoyance, inability to complete activities of daily living, sleep disturbance, embarrassment when out in public. The list goes on! [#IPNAJC](#)



Sudha Mannemuddhu MD [@drM_sudha](#)

16 minutes ago

[@ipnaje](#) Usually, They are just annoyed. One that worried me is the petechia on the arm. I saw that in 2 children. One did not feel it but the other complained of pain & numbness so d/c'ed ABPM. [@drjosflynn](#) in those cases what do you do? replace on another day/ call quits? [#IPNAJC](#)



Franklin Loachamin [@FranLoachamin](#)

16 minutes ago

Actualización de 2022 •MAPA para HTA dg antes de considerar tto •Utilice herramientas proporcionadas para validar dispositivos automáticos. proporciona un nuevo esquema para clasificar HTN; usa un corte de PA único en jóvenes ≥ 13 años y no usa criterios de carga [#IPNAJC](#)



Shweta Shah [@nefron1310](#)

16 minutes ago

Discomfort at night could cause elevated night time reads [#IPNAJC](#) Obtain good history for tolerability





Swasti Chaturvedi [@SwastiThinks](#)

16 minutes ago

RT [@ipnaja](#): Let's look at the major indications for using ABPM as recommended by the 2022 update. Check out this succinct VA by [@ArchanaVajjala](#) on indications and new classification [#IPNAJC](#) <https://t.co/7w7S31qDAf>



Sudha Mannemuddhu MD [@drM_sudha](#)

16 minutes ago

RT [@bisnotbiz](#): [@ipnaja](#) Device malfunction, annoyance, inability to complete activities of daily living, sleep disturbance, embarrassment when out in public. The list goes on! [#IPNAJC](#)



Swasti Chaturvedi [@SwastiThinks](#)

16 minutes ago

RT [@ipnaja](#): How do you like this new classification system? Isn't this so easy to use!! Any advantages of the older system that we lost here? [#IPNAJC](#) [@NASA](#) [#JamesWebb](#) images <https://t.co/EGpYOazWS3>



Swasti Chaturvedi [@SwastiThinks](#)

16 minutes ago


RT [@ipnaja](#): To address the above two issues, the 2022 ABPM update simplified the classification -by taking away the load -using adult single-point cut off in ≥ 13 yr [#IPNAJC](#) <https://t.co/HWqoLp9aQn>



Joseph Flynn, MD [@drjosflynn](#)

16 minutes ago


[@drM_sudha](#) [@ipnaja](#) Have only seen this a handful of times over 20y of doing ABPM... [#IPNAJC](#)



Swasti Chaturvedi [@SwastiThinks](#)

16 minutes ago

RT [@ipnaja](#): -Using the new 2017 CPG cut-off ≥ 13 yr in the NHANES data set, 5.8% youth were reclassified to higher BP stage <https://t.co/Phi9hxXlfl> -Increase sensitivity in diagnosing youth at high risk for CVD So what about the ABPM thresholds then? There comes the 2022 update [#IPNAJC](#) <https://t.co/Y953Wka4D1>



Swasti Chaturvedi [@SwastiThinks](#)

16 minutes ago

RT [@ipnaja](#): T0A •Pediatric BP norms are based on age,sex,ht and are derived from population data •The BP cut-off in older adolescents often exceeded the normal adult threshold •In 2017, the AAP CPG applied adult BP norms to define office HTN in pts ≥ 13 yr [#IPNAJC](#)



IPNA Journal Club [@ipnaja](#)

16 minutes ago

RT [@nefron1310](#): Discomfort at night could cause elevated night time reads [#IPNAJC](#) Obtain good history for tolerability




ynn, MD @drjosflynn

15 minutes ago




RT @FranLoachamin: Actualización de 2022 •MAPA para HTA dg antes de considerar tto •Utilice herramientas proporcionadas para validar dispositivos automáticos. proporciona un nuevo esquema para clasificar HTN; usa un corte de PA único en jóvenes ≥ 13 años y no usa criterios de carga #IPNAJC



miguel angel franco @83_kelimig

15 minutes ago



RT @drjosflynn: @chishti_aftab @ipnaja Yes, I think this should be standard of care in #HD. You want to see the BP on the day BEFORE a dialysis session - that correlates better w/intermediate outcomes like LVH. #IPNAJC




Sudha Mannemuddhu MD @drM_sudha

15 minutes ago




@bisnotbiz @drjosflynn @ipnaja The embarrassment we started issuing permission for school off for the day #IPNAJC



IPNA Journal Club @ipnaja

15 minutes ago

What future changes would you like to see in pediatric ABP monitoring? #IPNAJC



Franklin Loachamin @FranLoachamin

15 minutes ago

¿Qué cambios futuros le gustaría ver en la monitorización de PAA pediátrica? #IPNAJC



Joseph Flynn, MD @drjosflynn

15 minutes ago


RT @suprita86087893: @BobWoroniecki @drM_sudha @ipnaja #IPNAJC food for thought for next ABPM update, chronological age or height age more appropriate <https://t.co/immSILJoLy>



Swasti Chaturvedi @SwastiThinks

15 minutes ago

RT @drjosflynn: @SwastiThinks @ipnaja Repeat ABPM in one year. Many will progress to ambulatory HTN - #IPNAJC <https://t.co/WjJPGxugRE>



miguel angel franco @83_kelimig

15 minutes ago

RT @FranLoachamin: Actualización de 2022 •MAPA para HTA dg antes de considerar tto •Utilice herramientas proporcionadas para validar dispositivos automáticos. proporciona un nuevo esquema para clasificar HTN; usa un corte de PA único en jóvenes ≥ 13 años y no usa criterios de carga #IPNAJC



Joseph Flynn, MD @drjosflynn

15 minutes ago

Updated normative data for sure! #IPNAJC




IPNA Journal Club @ipnaja

14 minutes ago



●Normative data across race, ethnicity, height and age ●Outcome data on use of anti-hypertensive meds to reduce ABP, WCH , nocturnal hypertension are lacking ●Cost and tolerability still remains a huge burden The authors summarize these gaps in knowledge in table 3. [#IPNAJC](https://t.co/LFenKTWDFU) <https://t.co/LFenKTWDFU>


Joseph Flynn, MD @drjosflynn

14 minutes ago



RT @ipnaja: ●Normative data across race, ethnicity, height and age ●Outcome data on use of anti-hypertensive meds to reduce ABP, WCH , nocturnal hypertension are lacking ●Cost and tolerability still remains a huge burden The authors summarize these gaps in knowledge in table 3. [#IPNAJC](https://t.co/LFenKTWDFU) <https://t.co/LFenKTWDFU>


Swasti Chaturvedi @SwastiThinks

14 minutes ago



@ipnaja Need normative data for [#ABPM](#) for diverse population [#IPNAJC](#)


Lilian Villalba @LilianCVillalba

13 minutes ago



[#IPNAJC](#) Está que explota!! Espectacular!! <https://t.co/tCz8EttywU>


IPNA Journal Club @ipnaja

13 minutes ago



What are some final thoughts? Have you already implemented the new classification in your practice? [#IPNAJC](#)


Swasti Chaturvedi @SwastiThinks

13 minutes ago



RT @bisnotbiz: @ipnaja Device malfunction, annoyance, inability to complete activities of daily living, sleep disturbance, embarrassment when out in public. The list goes on! [#IPNAJC](#)


miguel angel franco @83_kelimig

13 minutes ago



RT @suprita86087893: @BobWoroniecki @drM_sudha @ipnaja [#IPNAJC](#) food for thought for next ABPM update, chronological age or height age more appropriate <https://t.co/immSILJoLy>


Joseph Flynn, MD @drjosflynn

13 minutes ago



@SwastiThinks @ipnaja We do an initial ABPM at 8-10 y/o then potentially repeat st 2-3y intervals. [#IPNAJC](#)





Woroniecki @BobWoroniecki

12 minutes ago

Woroniecki how, since the "load is off" how do we counsel parents not to worry about what we have said a year ago? [#IPNAJC](#)



IPNA Journal Club @ipnajt

12 minutes ago

This is your host [@nefron1310](#) signing off! Thank you for joining us in this fun discussion and making this a wonderful learning experience [#IPNAJC](#) <https://t.co/WSSQrC6p64>



Franklin Loachamin @FranLoachamin

12 minutes ago

•Datos normativos sobre razas, etnias, alturas y edades son imprescindibles •Faltan datos de resultados sobre el uso de antihipertensivos para reducir ABP, WCH, HT nocturna •Costo y la tolerabilidad siguen siendo una gran carga un resumen de los autores acá : [#IPNAJC](#) <https://t.co/NQsfQcgema>



Joseph Flynn, MD @drjosflynn

12 minutes ago

RT [@ipnajt](#): This is your host [@nefron1310](#) signing off! Thank you for joining us in this fun discussion and making this a wonderful learning experience [#IPNAJC](#) <https://t.co/WSSQrC6p64>



Franklin Loachamin @FranLoachamin

12 minutes ago


[#IPNAJC](#) ¿alguna cuestion final? ¿Ya ha implementado la nueva clasificación en su práctica?



Sudha Mannemuddhu MD @drM_sudha

12 minutes ago

RT [@asouth_neph](#): Yes! Hey [#Hypertension](#) friends, do not miss [#IPNAJC](#) this week 🙌 We're talking updated [@AHAScience](#) pediatric [#ABPM](#) guidelines [@drjosflynn](#) [@TammyBradyMD](#) [@spjuraschek](#) [@jingelfinger](#) [@AnastasiaSMihai](#) [@pedsnephrology](#) [@ASPNEph](#) [@ipnajt](#) [@CouncilonHTN](#) [@KidneyInCVD](#)



miguel angel franco @83_kelimig

12 minutes ago

Importante ..condiciones de HTA nocturna [#IPNAJC](#)



Franklin Loachamin @FranLoachamin

12 minutes ago

Eso es todo por esta noche. Gracias por unirse a nosotros en esta divertida discusión y hacer de esta una maravillosa experiencia de aprendizaje. Gracias [@nefron1310](#) por el guión . [#IPNAJC](#)



IPNA Journal Club @ipnajt

11 minutes ago

Join our second [#IPNAJC](#) session, hosted by my [@md_abdulqader83](#) tomorrow at 0900 PM IST [#IPNAJC](#)





alba 🇪🇸 @LilianCVillalba

11 minutes ago

Absolutely necessary!! #IPNAJC



miguel angel franco @83_kelimig

11 minutes ago



RT @FranLoachamin: •Datos normativos sobre razas, etnias, alturas y edades son imprescindibles •Faltan datos de resultados sobre el uso de antihipertensivos para reducir ABP, WCH, HT nocturna •Costo y la tolerabilidad siguen siendo una gran carga un resumen de los autores acá : #IPNAJC <https://t.co/NQSfQcgemA>



Joseph Flynn, MD @drjosflynn

11 minutes ago

Yes, @HalbachSusan has revised all of our report templates and interpretation criteria! #IPNAJC



Franklin Loachamin @FranLoachamin

11 minutes ago

Únase a nuestra segunda sesión de #IPNAJC, organizada por mi @mdadul 83 mañana a las 0900 PM IST #IPNAJC



Swasti Chaturvedi @SwastiThinks

11 minutes ago

RT @ipnaje: This is your host @nefron1310 signing off! Thank you for joining us in this fun discussion and making this a wonderful learning experience #IPNAJC <https://t.co/WSSQRc6p64>



Joseph Flynn, MD @drjosflynn

11 minutes ago

RT @FranLoachamin: •Datos normativos sobre razas, etnias, alturas y edades son imprescindibles •Faltan datos de resultados sobre el uso de antihipertensivos para reducir ABP, WCH, HT nocturna •Costo y la tolerabilidad siguen siendo una gran carga un resumen de los autores acá : #IPNAJC <https://t.co/NQSfQcgemA>



Sudha Mannemuddhu MD @drM_sudha

11 minutes ago

@ipnaje @nefron1310 wonderful script and hosting. thank you #ipnaje



Joseph Flynn, MD @drjosflynn

11 minutes ago

RT @FranLoachamin: Eso es todo por esta noche. Gracias por unirse a nosotros en esta divertida discusión y hacer de esta una maravillosa experiencia de aprendizaje. Gracias @nefron1310 por el guión . #IPNAJC



Swasti Chaturvedi @SwastiThinks

11 minutes ago

RT @LilianCVillalba: Absolutely necessary!! #IPNAJC





innemuddhu MD @drM_sudha

10 minutes ago

RT @drjosflynn: @SwastiThinks @ipnaje We do an initial ABPM at 8-10 y/o then potentially repeat st 2-3y intervals. #IPNAJC



Joseph Flynn, MD @drjosflynn

10 minutes ago

RT @83_kelimig: Importante ..condiciones de HTA nocturna #IPNAJC



miguel angel franco @83_kelimig

10 minutes ago

RT @FranLoachamin: Únase a nuestra segunda sesión de #IPNAJC, organizada por mi @mdadul 83 mañana a las 0900 PM IST #IPNAJC



Joseph Flynn, MD @drjosflynn

10 minutes ago

RT @ipnaje: Join our second #IPNAJC session, hosted by my @md_abdulqader83 tomorrow at 0900 PM IST #IPNAJC



IPNA Journal Club @ipnaje

10 minutes ago

We sincerely thank @NSMCInternship @NephJC @IPNA_Pedneph & Lucie Semanská for their guidance & assistance Thank you @FranLoachamin for parallel tweeting in spanish See you all in 2 months with a new #pedneph topic #IPNAJC



Franklin Loachamin @FranLoachamin

10 minutes ago

Agradecemos sinceramente a @NSMCInternship @NephJC @IPNA_Pedneph y Lucie Semanská por su orientación y asistencia. Gracias @franloachamin por twittear en paralelo en español Nos vemos en 2 meses con un nuevo tema de #pedneph #IPNAJC



Swasti Chaturvedi @SwastiThinks

10 minutes ago

RT @drjosflynn: @SwastiThinks @ipnaje We do an initial ABPM at 8-10 y/o then potentially repeat st 2-3y intervals. #IPNAJC



Joseph Flynn, MD @drjosflynn

10 minutes ago

@ipnaje @md_abdulqader83 Will miss round #2, have to take care of patients! #IPNAJC



Sudha Mannemuddhu MD @drM_sudha

10 minutes ago

@drjosflynn @SwastiThinks @ipnaje Thank you @drjosflynn . It's fun learning from 'the guru' #IPNAJC





ynn, MD @drjosflynn

10 minutes ago

RT @ipnajt: We sincerely thank @NSMCInternship @NephJC @IPNA_Pedneph & Lucie Semanská for their guidance & assistance Thank you @FranLoachamin for parallel tweeting in spanish See you all in 2 months with a new #pedneph topic #IPNAJC



Franklin Loachamin @FranLoachamin

10 minutes ago

RT @ipnajt: We sincerely thank @NSMCInternship @NephJC @IPNA_Pedneph & Lucie Semanská for their guidance & assistance Thank you @FranLoachamin for parallel tweeting in spanish See you all in 2 months with a new #pedneph topic #IPNAJC



Swasti Chaturvedi @SwastiThinks

9 minutes ago

RT @ipnajt: We sincerely thank @NSMCInternship @NephJC @IPNA_Pedneph & Lucie Semanská for their guidance & assistance Thank you @FranLoachamin for parallel tweeting in spanish See you all in 2 months with a new #pedneph topic #IPNAJC



Swasti Chaturvedi @SwastiThinks

9 minutes ago

RT @FranLoachamin: •Datos normativos sobre razas, etnias, alturas y edades son imprescindibles •Faltan datos de resultados sobre el uso de antihipertensivos para reducir ABP, WCH, HT nocturna •Costo y la tolerabilidad siguen siendo una gran carga un resumen de los autores acá : #IPNAJC <https://t.co/NQSfQcgemA>



IPNA Journal Club @ipnajt

9 minutes ago

Please leave your suggestions and comments If you would like to contribute to the future #IPNAJC, please DM @ipnajt Signup for our newsletter <https://t.co/yEGtLvpMsY> Sincerely: #IPNAJC social media team <https://t.co/BNURcT8uUA>



Joseph Flynn, MD @drjosflynn

9 minutes ago

@SwastiThinks @ipnajt Not yet - but may be coming soon.. #IPNAJC



Franklin Loachamin @FranLoachamin

9 minutes ago

Por favor deje sus sugerencias y comentarios Si desea contribuir al futuro #IPNAJC , envíe un mensaje directo a @ipnajt Suscríbete a nuestro boletín <https://t.co/TRrtqt5raA> Sinceramente: Equipo de redes sociales del #IPNAJC



suprita @suprita86087893

9 minutes ago

@drM_sudha @ipnajt @nefron1310 #IPNAJC Wonderful to participate today!! Great script and hosting





drjosflynn, MD @drjosflynn

9 minutes ago

RT @drM_sudha: @drjosflynn @SwastiThinks @ipnaja Thank you @drjosflynn . It's fun learning from 'the guru' #IPNAJC



Swasti Chaturvedi @SwastiThinks

9 minutes ago

RT @drjosflynn: Updated normative data for sure! #IPNAJC



Swasti Chaturvedi @SwastiThinks

8 minutes ago

RT @drM_sudha: @drjosflynn @SwastiThinks @ipnaja Thank you @drjosflynn . It's fun learning from 'the guru' #IPNAJC



Showing 1 to 353 of 353 entries



#IPNAJC content from [Twitter](#).

Free Analytics and Transcripts for #IPNAJC

Healthcare
Social Graph

Contact

Login

Healthcare
Hashtag Project

Privacy Policy

Research

Do Not Sell My
Personal
Information

Website Data
Collection
Preferences

